





Mary Photoelectricity Co., Ltd

Outdoor Die-Casting Aluminum Rental Series




Piranha LED



Fast Locks



Waterproof Connector



Module dismantled



Module Rear and Front

Available Models:

Piranha LED: P8; P10; P16


SMD LED: P6.6; P8; P10

DIP LED: P10



MR PHOTOELECTRICITY

Mary Photoelectricity Co., Ltd



DIP version



Mary Photoelectricity Co., Ltd

Piranha Series Parameters

Item	Parameter	Item	Parameter
Pixel Pitch	8mm	Cabinet Size	640 * 640mm
LED Type	Piranha LED	Cabinet Resolution	80 * 80 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	40 * 20 pixels
Protection	IP65 / IP54	Power Consumption	980W / 390W
Displaying Mode	1/4 Scanning	Weight	14.5KG

Item	Parameter	Item	Parameter
Pixel Pitch	10mm	Cabinet Size	640 * 640mm
LED Type	Piranha LED	Cabinet Resolution	64 * 64 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	32 * 16 pixels
Protection	IP65 / IP54	Power Consumption	1250W / 520W
Displaying Mode	1/2 Scanning	Weight	14.5KG

Item	Parameter	Item	Parameter
Pixel Pitch	16mm	Cabinet Size	640 * 640mm
LED Type	Piranha LED	Cabinet Resolution	40 * 40 pixels
Brightness	>6500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	20 * 10 pixels
Protection	IP65 / IP54	Power Consumption	980W / 420W
Displaying Mode	Static Scanning	Weight	14.5KG



Mary Photoelectricity Co., Ltd

SMD Series Parameters

Item	Parameter	Item	Parameter
Pixel Pitch	6.6mm	Cabinet Size	640 * 640mm
LED Type	SMD 3535 LED	Cabinet Resolution	96 * 96 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	48 * 48 pixels
Protection	IP65 / IP54	Power Consumption	600W / 200W
Displaying Mode	1/6 Scanning	Weight	14.5KG

Item	Parameter	Item	Parameter
Pixel Pitch	8mm	Cabinet Size	640 * 640mm
LED Type	SMD3535 LED	Cabinet Resolution	80 * 80 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	40 * 20 pixels
Protection	IP65 / IP54	Power Consumption	390W / 980W
Displaying Mode	1/4 Scanning	Weight	14.5KG

Item	Parameter	Item	Parameter
Pixel Pitch	10mm	Cabinet Size	640 * 640mm
LED Type	SMD3535 LED	Cabinet Resolution	64 * 64 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	32 * 16 pixels
Protection	IP65 / IP54	Power Consumption	1250W / 520W
Displaying Mode	1/2 Scanning	Weight	14.5KG




Mary Photoelectricity Co., Ltd

DIP P10 Parameters


Item	Parameter	Item	Parameter
Pixel Pitch	10mm	Cabinet Size	640 * 640mm
LED Type	Dip346 LED	Cabinet Resolution	64 * 64 pixels
Brightness	>5500Nits	Module Size	320 * 160mm
Refresh Rate	>1200Hz	Module Resolution	32* 16 pixels
Protection	IP65 / IP54	Power Consumption	750W / 320W
Displaying Mode	1/4 Scanning	Weight	14.5KG





— MR PHOTOELECTRICITY —
Mary Photoelectricity Co., Ltd



Rear Viewing



waterproof test



screen aging